

Homework 6: Inference in Graphical Models, MDPs

Introduction

In this assignment, you will practice inference in graphical models as well as MDPs/RL. For readings, we recommend [Sutton and Barto 2018, Reinforcement Learning: An Introduction](#), [CS181 2017 Lecture Notes](#), and Section 9 and 10 Notes.

Please type your solutions after the corresponding problems using this \LaTeX template, and start each problem on a new page.

Please submit the **writeup PDF to the Gradescope assignment ‘HW6’**. Remember to assign pages for each question.

Please submit your **\LaTeX file and code files to the Gradescope assignment ‘HW6 - Supplemental’**.

You can use a **maximum of 2 late days** on this assignment. Late days will be counted based on the latest of your submissions.

Problem 1 (Explaining Away, 10 pts)

In this problem, you will carefully work out a basic example with the explaining away effect. There are many derivations of this problem available in textbooks. We emphasize that while you may refer to textbooks and other online resources for understanding how to do the computation, you should do the computation below from scratch, by hand.

We have three binary variables, rain r , grass-wet g , and sprinkler s . The conditional probability tables look like the following:

$$\begin{aligned}p(r = 1) &= 0.25 \\p(s = 1) &= 0.5 \\p(g = 1|r = 0, s = 0) &= 0 \\p(g = 1|r = 1, s = 0) &= .75 \\p(g = 1|r = 0, s = 1) &= .75 \\p(g = 1|r = 1, s = 1) &= 1\end{aligned}$$

Note that before attempting the problems below, it may be helpful to first prove something about the independence/dependence relationships between r , g , and s based on the information above.

1. You check on the sprinkler without checking on the rain or the grass. What is the probability that it is on?
2. You notice it is raining and check on the sprinkler without checking the grass. What is the probability that it is on?
3. You notice that the grass is wet and go to check on the sprinkler (without checking if it is raining). What is the probability that it is on?
4. You notice that it is raining and the grass is wet. You go check on the sprinkler. What is the probability that it is on?
5. What is the explaining away effect that is shown above?

Solution

Problem 2 (Policy and Value Iteration, 15 pts)

This question asks you to implement policy and value iteration in a simple environment called Gridworld. The “states” in Gridworld are represented by cells on the board. Here we show each state and its reward:

R = -1	R = -1	R = -50	R = -1	R = -1
R = -1	R = -1	R = -50	R = -1	R = -1
R = -1 START	R = -1	R = -50	R = -1	R = -1
R = -1	R = 5 END	R = -50	R = -1	R = 50 END

The set of all actions is $\{N, S, E, W\}$, which corresponds to moving north (up), south (down), east (right), and west (left) on the grid. Taking an action in Gridworld does not always succeed with probability 1; instead the agent has probability 0.1 of “slipping” into a state on either side. For example, if the agent tries to go up, the agent may end up going to the left or to the right by mistake, but never down. Moving into a wall (off the edge of the grid) also will keep the agent in the same state with high probability, but the agent may end up slipping to a state on either side (defined as before) with probability 0.1. Let discount factor $\gamma = 0.75$.

Code used to represent the grid is in `gridworld.py`. Your job is to implement the below methods in file `T6_P2.py`. **You do not need to modify or call any function in the `gridworld.py` file to complete this question. Please use the helper functions in `T6_P2.py` to implement your solution.**

Do not use any outside code, and complete this problem yourself. Embed all plots in your writeup.

- 1a. To help you understand the code, complete each TODO in function `print_grid_representations()`. Read all comments in the function. Your solution should not require calling or modifying any function in `gridworld.py`, and should instead only use the helper functions in `T6_P2.py`. You do not need to include anything in your writeup for this part.

Important: For parts 2 and 3, the state space is represented using flattened indices (ints) rather than unflattened indices (tuples). Therefore value function V is a 1-dimensional array of length `state_count`. If you get stuck, printing the unflattened indices (so you can easily visualize positions on the board) may help you debug your code.

For the following parts, please set variable `run_part_one` in line 7 of the file to `False`. You can change the number of iterations that your code is run by changing the `max_iter` and `print_every` parameters of the `learn_strategy` function calls at the end of the code.

See the next page for parts 2 and 3.

Problem 2 (cont.)

- 2a. Implement function `policy_evaluation`. Your solution should iteratively learn value function V using convergence tolerance `theta = 0.01`. (i.e., if $V^{(t)}$ represents V on the t th iteration of your policy evaluation procedure, then if $|V^{(t+1)}[s] - V^{(t)}[s]| \leq \theta$ for all s , then return $V^{(t+1)}$.)
- 2b. Implement function `update_policy_iteration`. For every 2nd iteration of policy iteration, include a plot of the learned value function and the optimal policy at each state for 10 total iterations (`max_iter = 10`).

These plots of the learned value function and optimal policy at each state are automatically created and saved to your homework directory when you run `T6_P2.py`. Do not modify the given plotting code. Include your 5 plots in your homework submission writeup. For each part of Problem 2, please fit all the the plots for that part onto one page of your writeup.

- 2c. How many iterations does it take for the policy to converge? (Hint: change `print_every = 1` to see the policy and value plots for every iteration!)
- 3a. Implement function `update_value_iteration`. For every 2nd iteration of value iteration, include a plot of the learned value function and the optimal policy at each state for 10 total iterations (`max_iter = 10`). Include all plots in your writeup.
- 3b. Set the convergence tolerance for value iteration to 0.1 by setting parameter `ct = 0.1` in the `learn_strategy` function call for value iteration. How many iterations does it take for the values to converge? Include a plot in your writeup of the learned value function and the optimal policy at this final state.

Solution

Problem 3 (Reinforcement Learning, 20 pts)

In 2013, the mobile game *Flappy Bird* took the world by storm. You'll be developing a Q-learning agent to play a similar game, *Swingy Monkey* (See Figure 1a). In this game, you control a monkey that is trying to swing on vines and avoid tree trunks. You can either make him jump to a new vine, or have him swing down on the vine he's currently holding. You get points for successfully passing tree trunks without hitting them, falling off the bottom of the screen, or jumping off the top. There are some sources of randomness: the monkey's jumps are sometimes higher than others, the gaps in the trees vary vertically, the gravity varies from game to game, and the distances between the trees are different. You can play the game directly by pushing a key on the keyboard to make the monkey jump. However, your objective is to build an agent that *learns* to play on its own.

You will need to install the pygame module (<http://www.pygame.org/wiki/GettingStarted>).

Task

Your task is to use Q-learning to find a policy for the monkey that can navigate the trees. The implementation of the game itself is in file `SwingyMonkey.py`, along with a few files in the `res/` directory. A file called `stub.py` is the starter code for setting up your learner that interacts with the game. This is the only file you need to modify (but to speed up testing, you can comment out the animation rendering code in `SwingyMonkey.py`). You can watch a YouTube video of the staff Q-Learner playing the game at <http://youtu.be/14QjPr1uCac>. It figures out a reasonable policy in a few dozen iterations.

You'll be responsible for implementing the Python function `action_callback`. The action callback will take in a dictionary that describes the current state of the game and return an action for the next time step. This will be a binary action, where 0 means to swing downward and 1 means to jump up. The dictionary you get for the state looks like this:

```
{ 'score': <current score>,
  'tree': { 'dist': <pixels to next tree trunk>,
            'top': <height of top of tree trunk gap>,
            'bot': <height of bottom of tree trunk gap> },
  'monkey': { 'vel': <current monkey y-axis speed>,
              'top': <height of top of monkey>,
              'bot': <height of bottom of monkey> }}
```


All of the units here (except score) will be in screen pixels. Figure 1b shows these graphically.

Note that since the state space is very large (effectively continuous), the monkey's relative position needs to be discretized into bins. The pre-defined function `discretize_state` does this for you.


Requirements

Code: First, you should implement Q-learning with an ϵ -greedy policy yourself. You can increase the performance by trying out different parameters for the learning rate α , discount rate γ , and ϵ . *Do not use outside RL code for this assignment.* Second, you should use a method of your choice to further improve the performance. This could be inferring gravity at each epoch (the gravity varies from game to game), updating the reward function, trying decaying epsilon greedy functions, changing the features in the state space, and more. One of our staff solutions got scores over 800 before the 100th epoch, but you are only expected to reach scores over 50 before the 100th epoch. **Make sure to turn in your code!**

Evaluation: In 1-2 paragraphs, explain how your agent performed and what decisions you made and why. Make sure to provide evidence where necessary to explain your decisions. You must include in your write up at least one plot or table that details the performances of parameters tried (i.e. plots of score vs. epoch number for different parameters).



(a) SwinglyMonkey Screenshot



(b) SwinglyMonkey State

Figure 1: (a) Screenshot of the Swingly Monkey game. (b) Interpretations of various pieces of the state dictionary.

Solution

Name

Collaborators and Resources

Whom did you work with, and did you use any resources beyond cs181-textbook and your notes?

Calibration

Approximately how long did this homework take you to complete (in hours)?